

Oxide series





Assemblage 15

Finiture /Finishes

01—Moro

02—Grigio

03—Nero

04—Bianco

Laminam

Various sizes

←

/ Attraverso un'esclusiva tecnologia di stratificazione, le superfici di Oxide riproducono l'effetto del metallo ossidato che reagisce agli agenti atmosferici, al sole e al tempo che scorre. Grazie alla profondità materica e cromatica si creano effetti tridimensionali inediti e raffinati per un total look nella progettazione di interni ed esterni con qualsiasi stile, dal più classico al più estremo.

/ Through a unique layering technology, the surfaces of Oxide reproduce the effect of oxidised metal which reacts to the atmospheric agents, the sun and the passage of time. The material and chromatic depths help create new refined 3D effects for a total look in designing interiors and exteriors in any style, from the most classic to the most extreme.

Coefficiente di attrito Laminam 5 / Coefficient of friction Laminam 5

Ossido

Norma-Metodo / Norm-Method

DIN 51130	R9
DIN 51097	A
ANSI A137.1 (DCOF)	≥ 0,42*
ASTM C-1028	on demand

Pendulum

Norm-Methode / Norm-Method

Spanish test	UNE-ENV 12633:2003	on demand
English test	BS 7976-2:2002 PENDULUM TESTERS	on demand
Australian test	AS/NZS 4586	on demand

*garantito su richiesta in fase d'ordine/guaranteed if requested at the time of ordering.

Colori disponibili / Available colours

Grigio

Perla

Bianco

Moro

Avorio

Nero





/Tokyo

Year: 2015
Takaosanguchi Station
Tokyo /Japan
Design: Kengo Kumaand Associates +
Keio Construction
Laminam 3+
Oxide, Moro
1000x3000

← →



/Milan

Year: 2015
Office Building
Milan /Italy
Design:
Studio Guidarini
& Salvadeo
Laminam 3+
Ventilated Facades
Oxide Perla
Tredi Carbonio
1000x3000
← →